





EDGE CONDITION LEGEND

- (E1) - GRAVEL STOP EDGE METAL, REMOVE EXISTING EDGE METAL, INSTALL NEW WOOD BLOCKING TO MATCH HEIGHT OF NEW ROOF SYSTEM & NEW GRAVEL STOP EDGE METAL W/ FULLY ADHERED FLASHING (SEE DET 0001)
- (E2) - EXIST. METAL EDGE METAL TO REMAIN (DRIP EDGE OR GRAVEL STOP)
- (E3) - EXIST. RAISED AREA DIVIDER

- (E4) - EXIST. RAISED AREA DIVIDER. REMOVE WALL FLASHINGS, INSTALL FULLY ADHERED MEMBRANE UP OVER AND ONTO OPPOSITE FACE AND INSTALL TERM BAR AND SEALANT
- (E5) - EXIST. RAISED AREA DIVIDER OR EXP. JOINT. REMOVE METAL & WALL FLASHINGS, WHERE EXP. JOINT, INSTALL FOAM ROD IN JOINT SPACE PRIOR TO INSTALLING MEMBRANE. INSTALL FULLY ADHERED MEMBRANE UP OVER AND ONTO OPPOSITE FACE AND TIE-INTO FIELD MEMBRANE ON BOTH SIDES
- (E6) - DRIP EDGE METAL, REMOVE EXISTING EDGE METAL, INSTALL NEW WOOD BLOCKING AND TAPERED EDGE STRIP TO MATCH HEIGHT OF NEW ROOF SYSTEM & TO PROMOTE DRAINAGE. INSTALL NEW DRIP EDGE METAL W/ FULLY ADHERED FLASHING (SEE DET 0002)
- (E7) - 1'-6" (H) WALL FLASHING, REMOVE ALL FLASHINGS FULLY ADHERE NEW WALL FLASHING, INSTALL TERM BAR, SEALANT AND NEW SURFACE MOUNTED COUNTER FLASHING W/ SEALANT JOINT (SEE DET 0003)

NOTE: ON LOWER ROOFS, EXISTING DRAIN WITH NEW 4' X 4' TAPERED SUMP AT 120' O/C ALONG BACK WALL (NOT SHOWN) (VERIFY EXACT LOCATIONS IN FIELD)



NOTE: ON LOWER ROOFS, EXISTING DRAIN WITH NEW 4' X 4' TAPERED SUMP AT 120' O/C ALONG BACK WALL (NOT SHOWN) (VERIFY EXACT LOCATIONS IN FIELD)

BID FORM WILL ADDRESS ADD ALTERNATE PRICE TO INSTALL ELASTOMERIC COATING ON WALL BETWEEN ROOF LEVELS (TYP.)

1'-6" X 1'-0" PILASTER ON WALL BETWEEN ROOF LEVELS @ 20' O/C (TYP. ALONG WALL)

SCOPE LEGEND

- (1) - ACRYLIC COATING OVER EXISTING BUR CAP SHEET ROOF
- (2) - REMOVE GRAVEL SURFACING WHERE EXISTING. ADHERED 1" ISOCYANURATE RECOVERY BOARD WITH ADHERED SINGLE PLY MEMBRANE OVER
- (6) - REMOVE GRAVEL SURFACING WHERE EXISTING. ADHERED 1" ISOCYANURATE RECOVERY BOARD WITH ADHERED 80 MIL SINGLE PLY MEMBRANE OVER

ROOF PLAN

BUILDING 1

UPPER ROOFS (SECTION "A") = 104,860 SQ. FT.
 LOWER ROOFS (SECTION "B") = 34,440 SQ. FT.
 LOWER ROOFS (SECTION "C") = 20,261 SQ. FT.



General Notes



DISCLAIMER
 ALL DESIGN, DESIGN ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY, AND ARE THE PROPERTY OF, RP ROOFING PROJECTS, LLC AND WERE CREATED, EVOLVED AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIED PROJECT. NONE OF SUCH DESIGN, DESIGN ARRANGEMENTS OR PLANS SHALL BE LOANED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT THE WRITTEN PERMISSION OF RP ROOFING PROJECTS, LLC.
 WRITTEN DIMENSIONS ON THIS DRAWING SHALL TAKE PRECEDENCE OVER SCALED DIMENSIONS. CONTRACTORS SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS.

No.	Revision/Issue	Date

Firm Name and Address
 RoofingProjects-com
 17 High Street
 Suite 301
 Norwalk, CT
 06851

Project Name and Address
 2024
 Cire Equity Produce Row
 3120 Produce Row
 Houston, TX 77023

Project	Sheet
Date January 25th, 2024	1
Scale 1/32" = 1'-0"	