



ROOF PLAN

PIPE PENETRATION

SIZE	QUANTITY
2" DIA	3
3 1/2" DIA	19
4 1/2" DIA	1

VENT STACKS

SIZE	QUANTITY
8" DIA.	6
4" DIA.	3
12" DIA.	1

FAN CURBS

1'-8" X 1'-8" 3(0TY)
2'-0" X 2'-0" 9(0TY)

RTU SCHEDULE

A - 4' X 7'
B - 5' X 7'-6"
C - 8' X 47'-6"
D - 19' X 74'-1 BEAM W/(8) 2'X2' POURABLE SEALER BOXES

ROOF HATCH

2'-9" X 3'-3" (REPLACE)
(WIRE BRUSH AND PAINT GUARDRAIL BETWEEN HATCH AND ROOF EDGE)

OTHER ITEMS

SAT DISH ON 7'X7' PAD =1 PROVIDE WALK PAD UNDER DISH
SAT DISH ON 8'X10' PAD =1 PROVIDE WALK PAD UNDER DISH
SAT DISH ON 4'X4' PAD =1 PROVIDE WALK PAD UNDER DISH
8" X 3' POURABLE SEALER BOXES = 2
4' X 1' POURABLE SEALER BOXES = 1
2" SAFETY RAIL SUPPORTS = 3

EDGE CONDITION LEGEND

- (E1) - REMOVE EXIST. FLASHINGS, COPING AND CLEAT, 2'-6" (H) WALL FLASHING INSTALL ADHERED WALL FLASHING OVER EXIST 1'-6" (W) BLOCKING AND DOWN OUTSIDE FACE INSTALL NEW 2 PIECE METAL FASCIA (SEE DET. 0001)
- (E2) - REMOVE EXIST. FLASHINGS, COPING AND CLEAT, 3'-0" (H) INSTALL ADHERED WALL FLASHING OVER EXIST 2'-4" (W) BLOCKING AND DOWN OUTSIDE FACE INSTALL NEW 2 PIECE METAL FASCIA (SEE DET. 0001)
- (E3) - 3'-0" (H) WALL FLASHING. REMOVE ALL FLASHINGS. INSTALL TERM BAR AND SLIP FLASHING TO BACKSIDE OF NEW SHINGLE ROOFING DRIP EDGE METAL (SEE DET. 0002)
- (E4) - REMOVE EXIST. WALL FLASHINGS, COPING AND CLEAT, 6' TO 1'-6" (H) VARIES INSTALL NEW ADHERED WALL FLASHINGS UP OVER EXIST 1'-0" (W) BLOCKING AND DOWN OUTSIDE FACE INSTALL NEW 2 PIECE METAL FASCIA (SEE DET. 0001)
- (E5) - REMOVE EXIST. DRIP EDGE METAL AND GUTTER. INSTALL NEW WOOD BLOCKING AND TAPERED EDGE STRIP TO MATCH HEIGHT OF NEW ROOF SYSTEM TO PROMOTE DRAINAGE INTO GUTTER AND PREVENT PONDING ALONG ROOF EDGE. INSTALL NEW 8" X 8" BOX GUTTER W/ (3) DOWNSPOUTS IN ORIGINAL LOCATIONS (SEE DET. 0003)
- (E6) - REMOVE EXIST. FLASHINGS COPING AND CLEAT, 6' TO 1'-4" (H) VARIES INSTALL ADHERED WALL FLASHING OVER EXIST 1'-0" (W) BLOCKING AND DOWN OUTSIDE FACE INSTALL NEW 2 PIECE METAL FASCIA (SEE DET. 0001)
- (E7) - 8" (H) WALL FLASHINGS. INSTALL ADHERED WALL FLASHINGS, TERM BAR, SEALANT SURFACE MOUNTED COUNTERFLASHING AND SEALANT (SEE DET. 0004)
- (E8) - REMOVE EXIST. FLASHINGS, EDGE METAL AND CLEAT, 8" (H) WALL FLASHING. INSTALL ADHERED WALL FLASHING OVER EXIST 8" (W) BLOCKING AND DOWN OUTSIDE FACE INSTALL NEW 2 PIECE METAL FASCIA (SEE DET. 0001)
- (E9) - REMOVE EXIST. FLASHINGS, COPING AND CLEAT, 4' TO 8" (H) VARIES INSTALL ADHERED WALL FLASHING OVER EXIST 8" (W) BLOCKING AND DOWN OUTSIDE FACE INSTALL NEW 2 PIECE METAL FASCIA (SEE DET. 0001)
- (E10) - 3'-0" TO 16'-0" (H) (VARIES) WALL FLASHING. REMOVE ALL BASE FLASHINGS, SHINGLES AND UNDERLAYMENT. INSTALL ADHERED FLASHINGS FULL HEIGHT. INSTALL TERM BAR AND SLIP FLASHING TO BACKSIDE OF NEW SHINGLE ROOFING DRIP EDGE METAL (SEE DET. 0002)

General Notes



DISCLAIMER
ALL DEAD, DESIGNED ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND ARE THE PROPERTY OF ROOFINGPROJECTS.COM AND WERE CREATED, EVOLVED AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIC PROJECT. NONE OF SUCH LOGOS, DESIGNS, ARRANGEMENTS OR MARKS SHALL BE USED BY OR DISCLOSED TO ANY THIRD PARTY WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF ROOFINGPROJECTS.COM.
WRITTEN DIMENSIONS ON THIS DRAWING SHALL TAKE PRECEDENCE OVER SCALED DIMENSIONS. CONTRACTORS SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS.

No.	Revision/Issue	Date

Firm Name and Address
RoofingProjects.com
17 High Street
Suite 301
Norwalk, CT
06851

Project Name and Address
2024
ACME #1992
75 Mayhill St.
Saddle Brook, N.J.

Project	Sheet
Date April 5, 2024	1
Scale 1/16" = 1'-0"	