



AT BUILT-IN MANSARD ROOF GUTTERS, CLEAN, INSTALL SPOT REPAIRS AND STRIP-IN ALL EXISTING SEAMS (APPRX. 190 LIN. FT. OF GUTTER TOTAL)

- Penetrations List:**  
**Curbs**  
 A - 6'x4' RTU  
 B - 4'x5' RTU  
 H - Roof Hatch 3'x3.5' (Replace)  
 C - 5'x7' RTU  
 D - 11'x23' Abandoned Curb (Remove, close opening in deck, infill and roof over)

- Pipe Penetrations**  
 1" - 10  
 2" - 10  
 3" - 7  
 4" - 2
- 3'x3' Abandoned Curb - 1  
 1'x1' Abandoned Curb - 1  
 10" Round Vent Stack - 5  
 2.5'x2.5' RTV - 1  
 (2) 12' Wooden Support Blocks Holding Condenser Unit - 1 (Replace w/ P.T. wood and set on walk pad)  
 8" Round Pitch Box with Conduits - 2  
 1'x1' RTV - 4  
 1'6"x1'6" RTV - 1  
 6.5'x6.5' Sat Dish Pad - 1 (Set on walk pad)  
 4'x4' Sat Dish Pad - 1 (Set on walk pad)  
 8" Round Vent Stack - 5  
 2'x2' RTV - 5  
 Abandoned Roof Hatch - 1  
 8" Viewing Screen Support Posts (I-Beam too) - 4  
 6" I-Beam Support Posts (viewing screen too) - 36  
 2'x2' Kitchen Exhaust Fans - 5  
 5.5'x5.5' RTV - 2  
 6'x1' Pitch Box with Conduits - 3  
 3.5'x2' Duct Curb - 1

**All Abandoned curbs:** (Remove, close opening in deck, infill and roof over)

- EDGE CONDITION LEGEND**
- E1 - 1'-0" (H) TO 2'-0" (H)(VARIES) X 1'-2" (W) PARAPET WALL REMOVE EXISTING METAL COPING AND ALL WALL FLASHINGS. INSTALL FULLY ADHERED WALL FLASHING UP OVER EXIST. TOP PLATE AND DOWN FRONT FACE, INSTALL NEW TWO PIECE METAL FASCIA (SEE DET. 0001)
- E2 - RAISED GRAVEL STOP EDGE METAL, REMOVE EXISTING EDGE METAL, INSTALL NEW GRAVEL STOP EDGE METAL W/ FULLY ADHERED FLASHING (SEE DET 0002)
- E3 - 1'-0" TO 2'-0" (H)(VARIES) WALL FLASHING, REMOVE ALL FLASHINGS LEAVING METAL COUNTER FLASHING TO REMAIN. FULLY ADHERE NEW WALL FLASHING, INSTALL TERM BAR, SEALANT AND SLIP FLASHING TO BACKSIDE OF EXISTING COUNTER FLASHING (SEE DET 0003)

General Notes



DISCLAIMER  
 ALL DEAD, DESIGNED ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND ARE THE PROPERTY OF ROOFINGPROJECTS.COM AND WERE CREATED, EVOLVED AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIC PROJECT. NONE OF SUCH LOGOS, DESIGNS, ARRANGEMENTS OR MARKS SHALL BE USED BY OR DISCLOSED TO ANY THIRD PARTY WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF ROOFINGPROJECTS.COM.  
 WRITTEN DIMENSIONS ON THIS DRAWING SHALL TAKE PRECEDENCE OVER SCALED DIMENSIONS. CONTRACTORS SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS.

| No. | Revision/Issue | Date |
|-----|----------------|------|
|     |                |      |

**Firm Name and Address**  
 RoofingProjects-com  
 17 High Street  
 Suite 301  
 Norwalk, CT  
 06851

**Project Name and Address**  
 2024  
 Safeway #4007  
 3713 Lee Hwy  
 Arlington, VA 22207

|                        |              |
|------------------------|--------------|
| <b>Project</b>         | <b>Sheet</b> |
| Date<br>April 5, 2024  | 1            |
| Scale<br>1/16" = 1'-0" |              |