



- Penetrations List:**
- A - 6'x4' RTU
 - B - 5'x7' RTU
 - C - 4'x7.5' RTU
 - D - 6.5' x24' RTU
 - E - Chiller Units on (8) 4" Round I Beam Support Posts
 - H - 3'x3.5' Roof Hatch (Replace)
- 9"x1.5' Pitch Box - 2
 2'x2' Kitchen Exhaust - 1
 19"x19" RTV - 1
 6" Round Vent Stack - 4
 10" Round Vent Stack - 2
 5'x5' RTV - 1
- Pipe Penetrations**
 1" - 10
 4" - 6

REPLACE METAL GUTTER AND DOWNSPOUT SYSTEM AT BOTTOM OF SHINGLE ROOFS 6"X6" BOX GUTTER (MATCH EXISTING CONFIGURATION) (COLOR AS SELECTED BY OWNER) (TYP. @ ALL SHINGLE AREAS)

REPLACE METAL GUTTER AND DOWNSPOUT SYSTEM AT BOTTOM OF SHINGLE ROOFS 6"X6" BOX GUTTER (MATCH EXISTING CONFIGURATION) (COLOR AS SELECTED BY OWNER) (TYP. @ ALL SHINGLE AREAS)

SECTION "F"
 (9,000 SQ. FT.)
 (ALL SHINGLE AREAS)

SECTION "E"
 (2,610 SQ. FT.)

SECTION "B"
 (4,447 SQ. FT.)

SECTION "C"
 (1,767 SQ. FT.)

SECTION "A"
 (16,080 SQ. FT.)

SECTION "D"
 (817 SQ. FT.)

- EDGE CONDITION LEGEND**
- E1 - 1'-0" (H) TO 2'-0" (H) (VARIES) PARAPET WALL REMOVE EXISTING METAL COPING AND ALL WALL FLASHINGS. INSTALL FULLY ADHERED WALL FLASHING UP OVER EXIST. TOP PLATE AND DOWN FRONT FACE, INSTALL NEW TWO PIECE METAL FASCIA (SEE DET. 0001)
 - E2 - RAISED GRAVEL STOP EDGE METAL, REMOVE EXISTING EDGE METAL, INSTALL NEW GRAVEL STOP EDGE METAL W/ FULLY ADHERED FLASHING (SEE DET 0002) (SEE PLAN DRAWING FOR SCUPPER OPENINGS IN EDGE METAL)
 - E3 - GRAVEL STOP EDGE METAL, REMOVE EXISTING EDGE METAL, INSTALL NEW WOOD BLOCKING TO MATCH HEIGHT OF NEW ROOF SYSTEM & NEW GRAVEL STOP EDGE METAL W/ FULLY ADHERED FLASHING (SEE DET 0002)
 - E4 - SLOPED WALL FLASHING UP TO METAL RIDGE CAP, REMOVE ALL FLASHINGS AND METAL RIDGE CAP, FULLY ADHERE NEW WALL FLASHING, INSTALL TERM BAR, SEALANT AND NEW METAL RIDGE CAP TO MATCH EXISTING CONFIGURATION
 - E5 - 1'-0" (H) WALL FLASHING, REMOVE ALL FLASHINGS FULLY ADHERE NEW WALL FLASHING, INSTALL TERM BAR, SEALANT AND NEW SURFACE MOUNTED COUNTER FLASHING W/ SEALANT JOINT (SEE DET 0003)
 - E6 - REMOVE EXIST. DRIP EDGE METAL AND GUTTER. INSTALL NEW WOOD BLOCKING AND TAPERED EDGE STRIP TO MATCH HEIGHT OF NEW ROOF SYSTEM, TO PROMOTE DRAINAGE INTO GUTTER AND PREVENT PONDING ALONG ROOF EDGE. INSTALL NEW 10" X 10" BOX GUTTER W/ DOWNSPOUTS IN ORIGINAL LOCATIONS & CONFIGURATIONS (SEE DET 0004)
 - E7 - REMOVE EXIST. DRIP EDGE METAL AND GUTTER. INSTALL NEW WOOD BLOCKING AND TAPERED EDGE STRIP TO MATCH HEIGHT OF NEW ROOF SYSTEM, TO PROMOTE DRAINAGE INTO GUTTER AND PREVENT PONDING ALONG ROOF EDGE. INSTALL NEW 6" X 6" BOX GUTTER W/ (1) NEW DOWNSPOUT (SEE DET 0004)

ROOF PLAN

General Notes



DISCLAIMER
 ALL DESIGN, DESIGN ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND ARE THE PROPERTY OF ROOFINGPROJECTS.COM AND WERE CREATED, EVOLVED AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIED PROJECT. NONE OF SUCH LOGOS, DESIGNS, ARRANGEMENTS OR MARKS SHALL BE LOANED BY OR DISCLOSED TO ANY THIRD PARTY WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF ROOFINGPROJECTS.COM.
 WRITTEN DIMENSIONS ON THIS DRAWING SHALL TAKE PRECEDENCE OVER SCALED DIMENSIONS. CONTRACTORS SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS.

No.	Revision/Issue	Date

Firm Name and Address
 RoofingProjects-com
 17 High Street
 Suite 301
 Norwalk, CT
 06851

Project Name and Address
 2024
 Shaws #222
 97 E Main St
 Wilmington, VT 05363

Project	Sheet
Date March 29, 2024	1
Scale 3/32" = 1'-0"	