



SECTION "B"
(240 SQ. FT.)

SECTION "A"
(54,592 SQ. FT.)

SECTION "D"
(500 SQ. FT.)
(SHINGLE AREA)

SECTION "E"
(500 SQ. FT.)
(SHINGLE AREA)

SECTION "C"
(81 SQ. FT.)

ROOF PLAN

- EDGE CONDITION LEGEND**
- (E1) - 1'-0" (H) TO 4'-0" (HXVARIES) X 1'-2" TO 1'-6" (WXVARIES) PARAPET WALL. REMOVE EXISTING METAL COPING AND ALL WALL FLASHINGS. INSTALL FULLY ADHERED WALL FLASHING UP OVER EXIST. TOP PLATE AND DOWN FRONT FACE, INSTALL NEW TWO PIECE METAL FASCIA (SEE DET. 0001)
 - (E2) - RAISED GRAVEL STOP EDGE METAL. REMOVE EXISTING EDGE METAL. INSTALL NEW GRAVEL STOP EDGE METAL W/ FULLY ADHERED FLASHING (SEE DET. 0002)
 - (E3) - 1'-0" (H) WALL FLASHING. REMOVE ALL FLASHINGS FULLY ADHERE NEW WALL FLASHING. INSTALL TERM BAR, SEALANT AND NEW SURFACE MOUNTED COUNTER FLASHING W/ SEALANT JOINT (SEE DET. 0003)
 - (E4) - 3'-0" TO 10'-6" (H) WALL FLASHING. REMOVE ALL FLASHINGS. FULLY ADHERE NEW WALL FLASHING. INSTALL TERM BAR, SEALANT AND SLIP FLASHING TO BACKSIDE OF NEW DRIP EDGE METAL AS PART OF THE NEW SHINGLE INSTALLATION INCLUDED IN THE SCOPE OF WORK (SEE DET. 0004)

Penetrations List:

- A - 4'x6' RTU
 - B - 7'x4' RTU
 - C - 8'x53' RTU
 - D - Chiller Units on top of (4) 5" Round Support Posts for I Beams
 - H - Roof Hatch 3'x3.5' (Replace)
 - Condenser unit on top of (2) 4' equip support curbs - 1
 - (2) 1'6" Curbs with condenser - 1
 - 3'x3' duct curb goose neck - 1
 - 4'x4' RTV - 2
 - 2'x4' utility hood - 1
 - 2'x2' utility hood - 3
 - Condenser unit on top of (2) 6.5' wooden supports on top of (2) 6.5' equip support curbs (Replace wood supports w/ P.T. wood)
 - 2.5'x2.5' Kitchen exhaust fan - 1
 - 2'x4.5' condenser unit curb - 2
 - 1' round vent stack - 9
 - 2'x2.5' abandoned curb - 4
 - 2'x2' RTV - 4
 - 1'9"x1'9" RTV - 2
 - 7'x7' sat dish pad - 1 (Set on walk pad)
 - 3'x3' sat dish pad - 1 (Set on walk pad)
- Pipe Penetrations**
- 1" - 8
 - 2" - 7
 - 3" - 10
 - 4" - 1

General Notes

ALL DEAD, DESIGNED ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY, AND ARE THE PROPERTY OF ROOFINGPROJECTS.COM AND WERE CREATED, EVOLVED AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIED PROJECT. NONE OF SUCH LOGOS, DESIGNS, ARRANGEMENTS OR MARKS SHALL BE LOANED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT THE WRITTEN PERMISSION OF ROOFINGPROJECTS.COM.

WRITTEN DIMENSIONS ON THIS DRAWING SHALL TAKE PRECEDENCE OVER SCALED DIMENSIONS. CONTRACTORS SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS.



No.	Revision/Issue	Date

Firm Name and Address

RoofingProjects-com
17 High Street
Suite 301
Norwalk, CT
06851

Project Name and Address

2024
Shaws #3544
180 Waterman Dr
South Portland, ME 04106

Project	Sheet
Date	1
March 29, 2024	
Scale	
1/16" = 1'-0"	