



- EDGE CONDITION LEGEND**
- (E1) - 4'-0" TO 6'-0" (OR VARIOUS) VERT. TRANSITION BETWEEN ROOF AREAS. REMOVE EXISTING WALL FLASHINGS. INSTALL ADHERED WALL FLASHING FULL HEIGHT AND INSTALL TERM BAR, SEALANT AND METAL SLIP FLASHING ANCHORED TO BACKSIDE OF EXISTING METAL COUNTER FLASHING (SEE DET. #003)
 - (E2) - 1" OR TO 4" (OR VARIOUS) 2"X4" PARAPET WALL. REMOVE EXISTING METAL COPING WALL FLASHING. INSTALL FULLY ADHERED WALL FLASHING UP OVER EXIST. TOP PLATE AND DOWN FRONT FACE. INSTALL NEW TWO PIECE METAL FASCIA (SEE DET. #002)
 - (E3) - REMOVE EXISTING DRIP EDGE. INSTALL NEW FULLY ADHERED WALL FLASHING AND INSTALL NEW DRIP EDGE
 - (E4) - 1"-0" OD WALL FLASHING. REMOVE ALL FLASHINGS. FULLY ADHERE NEW WALL FLASHING. INSTALL TERM BAR, SEALANT AND NEW SURFACE MOUNTED COUNTER FLASHING W/ SEALANT JOINT (SEE DET. #003)
 - (E5) - RAISED GRAVEL STOP EDGE METAL. REMOVE EXISTING EDGE METAL. INSTALL NEW GRAVEL STOP EDGE METAL W/ FULLY ADHERED FLASHING (SEE DET. #004)
 - (E6) - REMOVE EXIST. DRIP EDGE METAL AND GUTTER. INSTALL NEW WOOD BLOCKING AND TAPERED EDGE STRIP TO MATCH HEIGHT OF NEW ROOF SYSTEM. TO PROMOTE DRAINAGE INTO GUTTER AND PREVENT FLOODING ALONG ROOF EDGE. INSTALL NEW 6" X 6" BOX GUTTER W/ 1" DOWNSPOUT (SEE DET. #005)
 - (E7) - TIE-INTO EXISTING SINGLE PLY MEMBRANE IN A WATERTIGHT, WARRANTABLE MANNER
 - (E8) - 4'-0" OD WALL FLASHING. REMOVE ALL FLASHINGS LEAVING UPPER PLYWOOD AND METAL COUNTER FLASHING TO REMAIN. INSTALL METAL ATTACHED 1/4" DOME DECK. FULL HEIGHT INCLUDING OVER PLYWOOD. FULLY ADHERE NEW WALL FLASHING. INSTALL TERM BAR, SEALANT AND SLIP FLASHING TO BACKSIDE OF EXISTING COUNTER FLASHING (SEE DET. #003)
- PENETRATIONS LIST:**
- CURBS**
- A - 6"X12" RTU
 - B - 3"X6" RTU
 - C - RTU ON 2"X4" CURB AND (1) 4" WOOD SUPPORT (REPLACE WOOD WITH P.T. LUMBER TO MATCH CONFIGURATION SET ON WALK PADS)
 - D - 3"X4" RTU
 - E - 3"X4" RTU (PARTIALLY WRAPPED IN EPDM) (ENCAPSULATE WITH ADHERED MEMBRANE)
- PIPES**
- 1" - 15"
 - 2" - 12"
 - 3" - 2"
 - 5" - 4"
 - 1/8"X1/8" RTV - 1
 - 4/8"X6" SATELLITE DISH PAD - 1 (SET ON WALK PADS)
 - CONDENSER ON (4) 1" LEGS (BOLTED TO ROOF) - 1

General Notes



DISCLAIMER
 ALL DESIGN, DESIGN ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY, AND ARE THE PROPERTY OF ROOFINGPROJECTS.COM AND WERE CREATED, EVOLVED AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIED PROJECT. NONE OF SUCH DESIGN, DESIGN ARRANGEMENTS OR PLANS SHALL BE LOANED BY OR DISCLOSED TO ANY PARTISAN WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF ROOFINGPROJECTS.COM.
 WRITTEN DIMENSIONS ON THIS DRAWING SHALL TAKE PRECEDENCE OVER SCALED DIMENSIONS. CONTRACTORS SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS.

No.	Revision/Issue	Date

Firm Name and Address
 RoofingProjects-com
 17 High Street
 Suite 301
 Norwalk, CT
 06851

Project Name and Address
 2025
 Shaws #2527
 213 Main St
 Ludlow, VT 05149

<small>Project</small>	<small>Sheet</small>
<small>Date</small> March 6, 2025	<small>Scale</small> 1/8" = 1'-0"