



- EDGE CONDITION LEGEND**
- E1 - 3'-0" (H) TO 7'-0" (HXVARIES) X 1'-0" (W) PARAPET WALL. REMOVE EXISTING METAL COPING, WALL FLASHINGS AND ANY LOW METAL COUNTER FLASHING. INSTALL MECH ATTACHED 1/2" DENS DECK OVER BUR FLASHING SUBSTRATE ONLY. INSTALL FULLY ADHERED WALL FLASHING UP OVER EXIST. TOP PLATE AND DOWN FRONT FACE, INSTALL NEW TWO PIECE METAL FASCIA (SEE DET. 0001)
 - E2 - 1'-0" (H) WALL FLASHING. REMOVE ALL FLASHINGS AND METAL COUNTER FLASHING. INSTALL MECH ATTACHED 1/2" DENS DECK OVER BUR FLASHING SUBSTRATE. FULLY ADHERE NEW WALL FLASHING, INSTALL TERM BAR, SEALANT AND SURFACE MOUNTED COUNTER FLASHING WITH SEALANT JOINT AT TOP (SEE DET. 0002)
 - E3 - 4'-0" TO 6'-0" (H) WALL FLASHING. REMOVE EXIST. WALL FLASHINGS, ANY LOW METAL COUNTER FLASHING, UPPER DRIP EDGE METAL AND GUTTER. INSTALL NEW WOOD BLOCKING AND TAPERED EDGE STRIP TO MATCH HEIGHT OF NEW ROOF SYSTEM, TO PROMOTE DRAINAGE AND PREVENT PONDING ALONG ROOF EDGE. INSTALL FULLY ADHERED WALL FLASHINGS AND TIE INTO FIELD MEMBRANE ON BOTH SIDES OF VERTICAL WALL.

- PENETRATIONS LIST:**
- CURBS**
- A - 8.5'X4.5' CURB
 - B - 6'X4' RTU
 - C - 4.5'X4.5' CURB
 - D - 4'X3.5' RTU
 - E - 10.5'X4.9' RTU
 - F - 7.5'X4.5' RTU
- PIPE PENETRATIONS**
- 1" - 5
 - 2" - 5
 - 3" - 12
 - 4" - 2
- 3.5'X3.5' SAT DISH - 1 (SET ON WALK PADS)
 1.5'X3.5' CONDENSER CURB - 1
 4'X4' PITCH BOX - 1
 5'X5' SAT DISH PAD - 1 (SET ON WALK PADS)
 5'X5' PITCH BOX - 1
 6" ROUND VENT STACK - 3
 2'X2' RTV - 4
 1.5'X1.5' RTV - 13
 8" ROUND VENT STACK - 3
 1" ROUND VENT STACK - 2
 5'X7" PITCH BOX - 3
 4'X4' CONDENSER CURB - 1

ROOF PLAN

General Notes



DISCLAIMER
 ALL DEAD, DESIGNED ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY, AND ARE THE PROPERTY OF, ROOFINGPROJECTS.COM AND WERE CREATED, EVOLVED AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIED PROJECT. NONE OF SUCH LOGOS, DESIGNS, ARRANGEMENTS OR MARKS SHALL BE USED BY OR DISCLOSED TO ANY PARTISER WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF ROOFINGPROJECTS.COM.
 WRITTEN DIMENSIONS ON THIS DRAWING SHALL TAKE PRECEDENCE OVER SCALED DIMENSIONS. CONTRACTORS SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS.

No.	Revision/Issue	Date

Firm Name and Address
 RoofingProjects-com
 17 High Street
 Suite 301
 Norwalk, CT
 06851

Project Name and Address
 2025
 Safeway #1882
 990 Swan Creek Rd E
 Fort Washington, MD 20744

Project	Sheet
Date May 7, 2025	1
Scale 1/16" = 1'-0"	