

PENETRATIONS LIST:

CURBS

- A - 3'X4' UTILITY CURB (THRU ROOF) CONNECTED TO 4'X6' RTU ON (4) 6" ESC WITH DUCT SUPPORTED BY (4) 3"X3" POSTS *NOT PENETRATING ROOF (SET ON WALK PADS)
- B - 6'X10' RTU
- F - 12'X13' PENTHOUSE UNIT
- G - 5'X8' RTU
- I - 11'X11' PENTHOUSE RTU
- K - 4'X6' RTU
- L - 7'X9' RTU

RTVS

- 1'9"X1'9" - 5
- 2'X2' - 7
- 4'X4' - 1
- 5'X5' - 3
- 3'X3' - 1

EQUIPMENT SUPPORT CURBS

- X(1) RTU ON (2) 4'X4' ESC
- C - (1) CHILLER UNIT ON (2) 11' ESC CONNECTED TO (8) 2'6" ESC
- D - (2) CHILLER UNITS ON (5) 18' ESC
- E - (2) RTVS ON (2) 15' ESC
- H - (2) RTVS ON (2) 11' ESC

PIPES

- 1" - 20
- 2" - 10
- 3" - 2
- 4" - 2
- 5" - 5

UTILITY HOODS

- 3'X3' - 1
- 1'X2' - 1

ABANDONED CURBS (INSTALL 1/2" PLYWOOD OVER AND ENCAPSULATE WITH MEMBRANE)

- 2'X2' - 2
- 1'9"X1'9" - 2
- 2'6" ESC - 1
- 18" ESC - 4
- 4" PITCH BOX - 1
- 10" ESC - 2

ROUND VENT STACKS

- 8" - 3
- 10" - 2
- 12" - 1


KITCHEN EXHAUST FANS

- 1'9"X1'9" - 2
- 3'X3' - 1

SATELLITE DISH

- 2'X2' CURB (REMOVE SAT DISH, INSTALL 1/2" PLYWOOD OVER AND ENCAPSULATE WITH MEMBRANE)

RH - 3'X5' (REPLACE)



EDGE CONDITION LEGEND

- E1** - 1'-11" (H) TO 4'-3" (H)(VARIES) PARAPET WALL REMOVE EXISTING METAL COPING, WALL FLASHINGS, AND LOW COUNTER FLASHING. INSTALL MECH ATTACHED 1/2" DENS DECK OVER FLASHING SUBSTRATE FULL HEIGHT. INSTALL FULLY ADHERED WALL FLASHING UP OVER EXIST. TOP PLATE AND DOWN FRONT FACE, INSTALL NEW TWO PIECE METAL FASCIA (SEE DET. d001)
- E2** - 1'-5" TO 1'-9" (H)(VARIES) VERT TRANSITION BETWEEN ROOF AREAS. REMOVE EXISTING WALL FLASHING AND EDGE METAL. INSTALL WOOD BLOCKING AT TOP OF TRANSITION TO MATCH HEIGHT OF NEW ROOF SYSTEM. INSTALL MECH ATTACHED 1/2" DENS DECK OVER FLASHING SUBSTRATE FULL HEIGHT. INSTALL ADHERED WALL FLASHING FULL HEIGHT AND TIE-INTO FIELD MEMBRANE ON BOTH SIDES OF VERT WALL
- E3** - 4'-6" (H) SLOPED PARAPET WALL REMOVE EXISTING METAL COPING, WALL FLASHINGS. INSTALL MECH ATTACHED 1/2" DENS DECK OVER FLASHING SUBSTRATE FULL HEIGHT. INSTALL FULLY ADHERED WALL FLASHING UP OVER EXIST. TOP PLATE AND DOWN FRONT FACE, INSTALL NEW TWO PIECE METAL FASCIA (SEE DET. d001)
- E4** - GRAVEL STOP EDGE METAL, REMOVE EXISTING EDGE METAL, INSTALL NEW WOOD BLOCKING TO MATCH HEIGHT OF NEW ROOF SYSTEM & NEW GRAVEL STOP EDGE METAL W/ FULLY ADHERED FLASHING (SEE DET. d002)

- E5** - CUT BOTTOM EDGE OF EIFS WALL CLADDING TO FACILITATE AN 8" MIN. FLASHING HEIGHT AND SEAL CUT EDGE. REMOVE EXISTING FLASHINGS. INSTALL MECH ATTACHED 1/2" DENS DECK OVER FLASHING SUBSTRATE FULL HEIGHT. INSTALL 8"(H) FULLY ADHERED WALL FLASHING, TERM BAR W/ SEALANT AND NEW SURFACE MOUNTED COUNTER FLASHING W/ SEALANT AT TOP TIGHT TO BOTTOM OF EIFS WALL CLADDING (SEE DET. d003)
- E6** - 1'-0" (H) WALL FLASHING, REMOVE ALL FLASHINGS AND METAL COUNTER FLASHING. INSTALL MECH ATTACHED 1/2" DENS DECK OVER FLASHING SUBSTRATE FULL HEIGHT. FULLY ADHERE NEW WALL FLASHING, INSTALL TERM BAR, SEALANT AND SURFACE MOUNTED COUNTER FLASHING WITH SEALANT AT TOP (SEE DET. d003)

General Notes



DISCLAIMER
ALL DEAD, DESIGNED ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY, AND ARE THE PROPERTY OF RP ROOFING PROJECTS.COM AND WERE CREATED, EVOLVED AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIED PROJECT. NONE OF SUCH LOGOS, DESIGNS, ARRANGEMENTS OR MARKS SHALL BE LOANED BY OR DISCLOSED TO ANY PARTISAN WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF RP ROOFING PROJECTS.COM.
WRITTEN DIMENSIONS ON THIS DRAWING SHALL TAKE PRECEDENCE OVER SCALED DIMENSIONS. CONTRACTORS SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS.

No.	Revision/Issue	Date

Firm Name and Address
RoofingProjects.com
17 High Street
Suite 301
Norwalk, CT
06851

Project Name and Address
2025
Jewel-Osco #3454
4250 N Lincoln Ave
Chicago, IL 60618

Project	Sheet
Date March 27, 2025	1
Scale 3/32" = 1'-0"	