



EDGE CONDITION LEGEND

- E1 - 6" (H) TO 2'-7" (HXVARIES) PARAPET WALL REMOVE EXISTING METAL COPING, WALL FLASHINGS AND ANY LOW METAL COUNTER FLASHING. INSTALL 1/2" DENS DECK MECH ATTACHED FULL HEIGHT. INSTALL FULLY ADHERED WALL FLASHING UP OVER EXIST. TOP PLATE AND DOWN FRONT FACE. INSTALL NEW TWO PIECE METAL FASCIA (SEE DET. 0001)
- E2 - 1'-0" (H) TO 4'-6" (HXVARIES VERT. TRANSITION BETWEEN ROOF LEVELS W/ METAL EXP. JT. CAP. REMOVE EXISTING METAL CAP, WALL FLASHINGS AND ANY LOW METAL COUNTER FLASHING. INSTALL 1/2" DENS DECK MECH ATTACHED FULL HEIGHT ON BOTH SIDES. INSTALL FULLY ADHERED WALL FLASHING UP OVER EXIST. TOP PLATE AND DOWN OPPOSITE FACE AND TIE-INTO FIELD MEMBRANE ON HIGH SIDE OF WALL. INSTALL NEW METAL EXP. JOINT CAP TO MATCH EXISTING CONFIGURATION
- E3 - 1'-0" (H) RAISED EXP. JOINT DIVIDER BETWEEN ROOF LEVELS. REMOVE EXISTING METAL CAP AND WALL FLASHINGS. INSTALL 1/2" DENS DECK MECH ATTACHED FULL HEIGHT. INSTALL FULLY ADHERED WALL FLASHING UP OVER EXIST. TOP PLATE AND DOWN OPPOSITE FACE AND TIE-INTO FIELD MEMBRANE ON OPPOSITE SIDE OF WALL. INSTALL NEW METAL CAP TO MATCH EXISTING CONFIGURATION

- E4 - CUT BOTTOM EDGE OF EIFS WALL CLADDING TO FACILITATE AN 8" MIN. FLASHING HEIGHT AND SEAL CUT EDGE. REMOVE EXISTING FLASHINGS. INSTALL 1/2" DENS DECK MECH ATTACHED FULL HEIGHT. INSTALL 8"(H) FULLY ADHERED WALL FLASHING. TERM BAR W/ SEALANT AND NEW SURFACE MOUNTED COUNTER FLASHING W/ SEALANT AT TOP TIGHT TO BOTTOM OF EIFS WALL CLADDING (SEE DET. 0002)
- E5 - 4'-0" TO 12'-0" (H) SLOPED SHINGLE AREA. WITH PORTIONS HAVING A VERT WALL ON TO FROM 2'-0" TO 9'-0" (H) REMOVE COPING METAL AND VERT. FLASHINGS LEAVING SHINGLES IN PLACE. INSTALL 1/2" DENS DECK MECH ATTACHED FULL HEIGHT OVER EXISTING SHINGLES. FULLY ADHERE NEW WALL FLASHING OVER TOP AND DOWN FRONT FACE. INSTALL NEW TWO PIECE METAL FASCIA (SEE DET 0001)



Penetrations List:

Curbs:

- A- Condenser on (2) 17' long equipment support curbs - (5)
- B- 5' x 5' RTV - (5)
- C- 3' x 9' RTV - (1)
- D- 6' x 9' RTU - (1)
- E- 5' x 8' RTU - (3)
- F- 6' x 6' RTU - (1)
- G- 7' x 10' RTU - (1)
- H- 3' x 8' curb with 11' duct and (1) 3' long equipment support curb - (1)
- I- 4' x 7' RTU - (1)
- J- Condenser on (2) 16' long equipment support curbs - (2)
- K- 3' x 4' RTU - (1)
- L- 4' x 7' RTU - (2)
- M- 4' x 4' RTV - (1)
- N- 7' x 17'6" curb (4'6" x 7'6" curb extension to be boxed in and flashed into roof)
- 2' x 2' RTV - (12)
- 19" x 19" RTV - (5)
- 2' x 3' RTV - (1)
- 1'6" x 1'6" RTV - (3)

- 3' x 3' RTV - (3)
- 2'6" x 2'6" RTV - (1)
- 1'6" x 1'6" Goose neck duct thru roof - (3)
- 1'6" x 2'6" Utility Hood - (2)
- 2' x 3' Utility Hood - (3)
- 2' x 2' Utility Hood - (2)
- 1'6" x 1'6" Utility Hood - (12)
- Condenser on (2) 5' long equipment support curbs - (1)
- 8" x 1" Wall Support Curbs - (8)
- 3' x 5' Roof Hatch (Replace-2)
- Abandoned Curbs: (Remove, close opening in deck< infill insulation and roof over area)
- 12' long equipment support curbs - (2)
- 18' long equipment support curbs - (2)
- 1' x 1' - (5)
- 1'6" x 1'6" - (6)
- 3' x 3' - (1)
- 2'6" x 2'6" - (1)
- 1'9" x 1'9" - (4)

- 3'6" x 3'6" - (2)
- Vent Stacks:
- 4" - (1)
- 6" - (1)
- 8" - (2)
- 1'6" x 1'6" Vent Stack Curb - (7)
- Pipes:
- 1" - (27)
- 2" - (15)
- 3" - (6)
- 4" - (8)
- 5" - (11)
- 6" - (6)
- Satellite Dish on Pad: (set on walk pads)
- 2' x 3' - (1)
- 3' x 3' - (1)
- 2' x 2' Satellite Dish Base Curb - (1)

ROOF PLAN

General Notes



DISCLAIMER
ALL IDEAS, DESIGN ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND ARE THE PROPERTY OF ROOFINGPROJECTS.COM AND WERE CREATED, INVOLVED AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIC PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED BY OR DISCLOSED TO ANY PURPOSE WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF ROOFINGPROJECTS.COM.
WRITTEN DIMENSIONS ON THIS DRAWING SHALL TAKE PRECEDENCE OVER SCALED DIMENSIONS. CONTRACTORS SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS.

No.	Revision/Issue	Date

Firm Name and Address
RoofingProjects.com
 17 High Street
 Suite 301
 Norwalk, CT
 06851

Project Name and Address
 2025
JEWEL-OSCO
#3441
 2940 NORTH ASHLAND AVE.
 CHICAGO, IL

Project	Sheet
Date	1
APRIL 11, 2025	
Scale	1/16" = 1'